

# INVEST

with **ALTAVOLA**  
DESIGN

# LED OUTDOOR CEILING LIGHTS




EXTERIOR  
RECESSED MOUNTED  
CEILING SPOTLIGHT




code **LDC337**  
casing aluminum / black painting  
lamping COB 12W / Ra>90 / 900LM  
Beam 15/24/88/60 degree  
2700K/3000K/4000K/6000K  
installation     IP65

 cut-out dia 125mm



code **LDC336**  
casing aluminum / black painting  
lamping COB 9W / Ra>90 / 800LM  
Beam 15/24/88/60 degree  
2700K/3000K/4000K/6000K  
installation     IP65

 cut-out dia 100mm



code **LDC335**  
casing aluminum / black painting  
lamping COB 6W / Ra>90 / 500LM  
Beam 15/24/88/60 degree  
2700K/3000K/4000K/6000K  
installation     IP65

 cut-out dia 80mm





## OUTDOOR IP65 LED RECESSED DOWNLIGHT

surface  
customizable

■ concrete grey paint  
similar to RAL7037

■ white paint  
similar to RAL9003

code **LDC411**


casing aluminum / black painting

lampping COB 6W / Ra>90 / 500LM

Beam 15 / 24 / **38** / 60 degree  
2700K / **3000K** / 4000K / 6000K

installation     IP65

 cut-off dia 70mm



code **LDC412**


casing aluminum / black painting

lampping COB 12W / Ra>90 / 900LM

Beam 15 / 24 / **38** / 60 degree  
2700K / **3000K** / 4000K / 6000K

installation     IP65

 cut-off dia 115mm



code **LDC413**


casing aluminum / black painting

lampping COB 20W / Ra>90 / 1600LM

Beam 15 / 24 / **38** / 60 degree  
2700K / **3000K** / 4000K / 6000K

installation     IP65

 cut-off dia 115mm









## OUTDOOR IP65 LED RECESSED DOWNLIGHT ACRYLIC COVER

surface  
customizable

- concrete grey paint  
similar to RAL7037
- white paint  
similar to RAL9003



code **LDC414**  
casing aluminum / black painting  
lamping LED 6W / Ra>80 / 600LM  
Beam acrylic diffuser  
2700K/~~3000K~~/4000K/6000K  
installation     IP65  
 cut-off dia 70mm




code **LDC415**  
casing aluminum / black painting  
lamping LED 12W / Ra>80 / 1200LM  
Beam acrylic diffuser  
2700K/~~3000K~~/4000K/6000K  
installation     IP65  
 cut-off dia 115 mm





EXTERIOR  
SURFACE MOUNTED  
CEILING DOWNLIGHT



code **LBL183**


surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP65



code **LBL184**


surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP65



code **LBL185**

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037

casing aluminum / black painting / lamping COB 20W / Ra>90 / 1700LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation     IP65



EXTERIOR  
SURFACE MOUNTED  
CEILING DOWNLIGHT



code **LBL186**

casing aluminum / black painting / lamping COB 5W / Ra>90 / 430LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037



code **LBL187**


casing aluminum / black painting / lamping COB 12W / Ra>90 / 900LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037



code **LBL188**

casing aluminum / black painting / lamping COB 20W / Ra>90 / 1700LM / Beam 15/24/38/60 degree / 2700K/3000K/4000K/6000K

installation IP65

surface customizable

white paint similar to RAL9003

concrete grey paint similar to RAL7037







## OUTDOOR IP65 LED SURFACE DOWNLIGHT ACRYLIC COVER

surface  
customizable

- concrete grey paint  
similar to RAL7037
- white paint  
similar to RAL9003



code **LBL249**  
casing aluminum / black painting  
lamping LED 12W / Ra>80 / 1200LM  
Beam acrylic diffuser  
2700K/**3000K**/4000K/6000K  
installation     IP65



code **LBL250**  
casing aluminum / black painting  
lamping LED 20W / Ra>80 / 2000LM  
Beam acrylic diffuser  
2700K/**3000K**/4000K/6000K  
installation     IP65

# INVEST

with  ALTAVOLA  
DESIGN

## **Biuro Sprzedaży Polska**

Piotr Stańczyk

[invest@altavola design.com](mailto:invest@altavola design.com)

tel. +48 696 690 314

## **International Sales Office**

Piotr Stańczyk

[invest@altavola design.com](mailto:invest@altavola design.com)

phone. +48 696 690 314

## **Verkaufsbüro Deutschland**

Piotr Stańczyk

[invest@altavola-design.com](mailto:invest@altavola-design.com)

tel. +48 696 690 314